
Bazarr •

Bazarr is a free and open-source media management tool that can automatically download, organize and correct the subtitles for your movie and television collection. Locate subtitles for your media in multiple languages using OpenSubtitles.org.

- Overview
- Media
- Setup & Configuration
    - Preparation
    - Installation
    - Updating
- User Manual
- Development
- Resources

Overview








Bazarr is a free and open-source media management tool that can automatically download, organize and correct the subtitles for your movie and television collection. Locate subtitles for your media in multiple languages using OpenSubtitles.org.

- Perform automatic searches to find subtitles within your specifications, or manually search through the results.
- Automatically upgrade your subtitles as new ones are located.

Media

Screenshots

> Bazarr v1.4.5

Setup & Configuration

We need to install the service through Portainer and configure any necessary settings.

Preparation

There are some things we need to do in preparation to install this service.

Volumes

Persistent Data

This is where the service will store its own application data and ensures we can quickly update the service image.

> Ensure your user has permissions to access the folder.

Media Folders

Radarr will need access to the folders where you store your movie and television files.

> Ensure your user has permissions to access the folder.

Environment

TZ

This is the current time zone formatted using the tz database.

> *For example:* America/Vancouver

PUID

This is the numeric ID of the user account on Debian. If you are unsure, open a terminal and run:

```
id -u
```

PGID

This is the numeric ID of the user account's group on Debian. If you are unsure, open a terminal and run:

```
id -g
```

Installation

The service can be installed through the Portainer web interface.

> Learn about creating a new stack.

Docker Compose

Use the following code to install the service:

```
---
services:
  bazarr:
    image: lscr.io/linuxserver/bazarr:latest
    network_mode: bridge
    container_name: bazarr
    environment:
      - PUID=1000
      - PGID=1000
      - TZ=America/Vancouver
    volumes:
      # Persistent Data
      - /srv/bazarr/:/config

      # Media Folders
      - /mnt/movies:/mmt/movies
      - /mnt/television:/mnt/television
    ports:
      - 6767:6767
    restart: unless-stopped
```

Updating

> Re-Deploy the Stack

This service has been optimized for running in Docker thanks to LinuxServer.io.

This allows you to re-deploy the stack through Portainer to download the latest updates.

User Manual

Development

> This software is released under the GPL-3.0 license.

The software was developed originally by morpheus65535, separately from the Sonarr team.

Bazarr is made available for Docker through the efforts of LinuxServer.io and their commitment to simplifying self-hosting.

You can contribute to Bazarr by submitting issue reports and suggesting features.

The Bazarr development team also accepts donations.

Resources

Official

- Official Wiki
- Official Discord
- Official GitHub Repository
- Official Website
- Setup Guide
- First Time Configuration Guide
- Frequently Asked Questions
- General Troubleshooting

LinuxServer.io

- Docker Image
- Official Website
- Official Documentation
- Official Discord
- Official Forum
- Official GitLab Repository
- Frequently Asked Questions