


# Sabnzbd •

Sabnzbd is a browser-based client for downloading binary files from the Usenet network.

- [Overview](#)
- [Media](#)
- [Setup & Configuration](#)
  - [Preparation](#)
  - [Installation](#)
  - [Updating](#)
- [User Manual](#)
- [Development](#)
- [Resources](#)

# Overview






Sabnzbd is a browser-based client for downloading binary files from the Usenet network.

- Integrate with Radarr, Sonarr, Lidarr and Readarr to automatically search Usenet and download files.
- Compatible with Prowlarr, allowing you to search newsgroups and send downloads directly to Sabnzbd.
- Manage downloads with an automated process for verifying, unpacking and moving completed files.

# Media

# Screenshots

Sabnzbd v4.4.1



# Setup & Configuration

We need to install the service through Portainer and configure any necessary settings.

# Preparation

There are some things we need to do in preparation to install this service.

## Volumes

### Persistent Data

This is where the service will store its own application data and ensures we can quickly update the service image.

Ensure your user has permissions to access the folder.

### Download Folders

This service will need access to the folder where you torrent or usenet folder store their completed downloads.

Ensure your user has permissions to access the folder.

## Environment

### TZ

This is the current time zone formatted using the [tz database](#).

*For example: America/Vancouver*

## PUID

This is the numeric ID of the user account on Debian. If you are unsure, open a terminal and run:

```
id -u
```

## PGID

This is the numeric ID of the user account's group on Debian. If you are unsure, open a terminal and run:

```
id -g
```

# Installation

The service can be installed through the Portainer web interface.

Learn about [creating a new stack](#).

## Docker Compose

Use the following code to install the service:

```
---
services:
  sabnzbd:
    image: lscr.io/linuxserver/sabnzbd:latest
    container_name: sabnzbd
    environment:
      - PUID=1000
      - PGID=1000
      - TZ=America/Vancouver
    volumes:
      # Persistent Data
      - /srv/sabnzbd:/config

      # Download Folders
      - /mnt/downloads/sabnzbd/complete:/complete-downloads #optional
      - /mnt/downloads/sabnzbd/incomplete:/incomplete-downloads #optional
    ports:
      - 8585:8080
    restart: unless-stopped
```

# Updating

## Re-Deploy the Stack

This service has been optimized for running in Docker thanks to [LinuxServer.io](#).

This allows you to [re-deploy the stack through Portainer](#) to download the latest updates.



# User Manual

# Development

This software is released under the [GPL-3.0 license](#).

The development team also accepts [sponsorships](#).

# Resources

## Official

- [Official Documentation](#)
- [Official Discord](#)
- [Official Forum](#)
- [Official GitHub Repository](#)
- [Official Website](#)
- [Installation Guide](#)
- [Frequently Asked Questions](#)

## LinuxServer.io

- [Docker Image](#)
- [Official Website](#)
- [Official Documentation](#)
- [Official Discord](#)
- [Official Forum](#)
- [Official GitLab Repository](#)
- [Frequently Asked Questions](#)